LESLIE
LAND MANAGEMENT
ENVIRONMENT &
SOLID-WASTE

LAND MANAGEMENT, ENVIRONMENT & SOLID-WASTE: INSIDE EDUCATION AND BUSINESS IN CENTRAL ASIA
ERASMUS-EDU-2023-CBHE Project Number: 101129032

MICRO-CREDENTIAL

CLIMATE CHANGE FOR SUSTAINABLE LAND MANAGEMENT IN CENTRAL ASIA

4.- Water, Cryosphere and Climate in Central Asia

Reading

Short technical note on small transboundary river basins and climate risks

Co-funded by the European Union

Funded by the European Union. Views and opinions expressed are however those of the author(s) only and do not necessarily reflect those of the European Union or the European Education and Culture Executive Agency (EACEA). Neither the European Union nor EACEA can be held responsible for them.

https://carecnet.org/programmes-and-activities/water-initiatives-support/stakeholders%E2%80%99-partnerships-in-collaborative-policymaking-fostering-transboundary-cooperation-on-small-watersheds-in-central-asia/isfara-river/?lang=en

Small transboundary river basins are highly sensitive systems where hydrological, climatic, ecological and socio-economic pressures interact within a limited territory. In Central Asia, many small river basins originate in mountain areas and cross national borders before reaching irrigated valleys, rural settlements or larger river systems. Although these basins may be smaller than the Amu Darya or Syr Darya, they are strategically important for local water supply, irrigation, ecosystems, disaster risk reduction and cross-border cooperation.

A small transboundary basin may include headwater zones, snowfields, glaciers, steep mountain slopes, alluvial valleys, irrigation canals, villages, agricultural land and downstream users located in different countries. This means that climate-related changes occurring upstream can rapidly affect downstream communities. For this reason, small basins are useful case studies for understanding the water–cryosphere–climate nexus in Central Asia.

1. Why small transboundary basins matter

Small transboundary river basins are important because they often provide water directly to local communities and agricultural systems. Their hydrological regimes may depend strongly on seasonal snow accumulation, glacier melt, spring rainfall and summer temperatures. In mountain-fed basins, changes in snow and ice storage can modify the timing, quantity and reliability of runoff.

These basins are also politically and institutionally sensitive. Water abstraction, irrigation infrastructure, reservoir operation, flood protection, ecosystem conservation and drought response may involve more than one country. When water availability becomes more variable, coordination between upstream and downstream users becomes more important.

In Central Asia, small transboundary basins can be particularly vulnerable because many rural livelihoods depend on irrigated agriculture, while water management institutions, monitoring networks and local adaptation capacity may be limited.

2. Climate risks affecting small transboundary basins

Climate change can affect small transboundary river basins through several interconnected mechanisms.

Temperature increase

Rising temperature increases evapotranspiration and water demand, particularly during the irrigation season. It can also alter snow accumulation and accelerate snowmelt. Higher temperatures may reduce the duration of snow cover and shift runoff earlier in the year.

Changes in snow and glacier contribution

In mountain basins, snow and glacier melt can sustain river flow during the warm season. Glacier retreat may initially increase meltwater contribution in some basins, but this effect is temporary. In the longer term, reduced glacier storage may decrease late-summer runoff, precisely when irrigation demand is high.

Seasonal runoff shifts

A warmer climate can shift river flow from summer towards spring. Earlier snowmelt may increase spring flows and reduce summer water availability. This is critical for agricultural areas that depend on reliable water supply during crop growth.

Drought risk

Higher temperatures, reduced snow storage and changes in precipitation can increase the frequency or severity of droughts. Droughts affect irrigation, drinking water supply, pasture productivity, wetlands and ecosystem services.

Flood and mudflow risk

Small mountain basins may respond rapidly to intense rainfall, rapid snowmelt or glacial lake outburst events. Steep slopes and narrow valleys can increase the risk of flash floods, mudflows and sediment transport. These hazards may damage roads, irrigation canals, settlements and agricultural land.

Water quality risks

Lower flows can reduce dilution capacity and increase the concentration of pollutants. Floods can mobilise sediments, waste, agricultural pollutants or contaminated materials. In irrigated areas, return flows may increase salinity or nutrient loads.

3. Source–pathway–receptor logic

A useful way to analyse climate risk in small transboundary basins is the source–pathway–receptor model.

- **Source:** climate-related hazard or pressure, such as intense rainfall, drought, glacier retreat, reduced snowpack or heatwaves.
- **Pathway:** hydrological or environmental process through which the hazard is transmitted, such as runoff, groundwater recharge reduction, sediment transport, canal failure or reduced river flow.
- **Receptor:** people, infrastructure, ecosystems or economic activities affected by the hazard, such as farmers, villages, irrigation systems, drinking water supplies, wetlands or hydropower facilities.

Example:

Reduced snowpack and glacier retreat → lower summer runoff → reduced irrigation water availability → lower crop yields and increased tension between upstream and downstream users.

Another example:

Intense rainfall in a steep mountain catchment → flash flood and sediment transport → damage to roads, canals and settlements downstream.

4. Transboundary dimension of climate risks

In a transboundary basin, climate risk is not only a physical process. It is also a governance challenge. Upstream actions can affect downstream conditions, and downstream demand can increase pressure on upstream resources.

Important transboundary issues include:

- Sharing hydrometeorological data.
- Coordinating flood and drought early warning.
- Agreeing seasonal water allocation rules.
- Maintaining irrigation and flood protection infrastructure.
- Protecting ecosystems and environmental flows.
- Managing sediment and water quality.
- Developing joint adaptation plans.
- Involving local communities in basin planning.

Small basins can be useful for practical cooperation because stakeholders are often easier to identify than in very large river systems. However, they may also be vulnerable to local conflicts if water scarcity, administrative borders and ethnic or territorial sensitivities overlap.

5. Adaptation options

Adaptation in small transboundary basins should combine technical, institutional and ecosystem-based measures.

Possible technical measures include:

- Improved hydrometeorological monitoring.
- Snow, glacier and streamflow observation.
- Early warning systems for floods and droughts.
- Rehabilitation of irrigation canals.
- Water-saving irrigation technologies.

- Small retention structures where environmentally appropriate.
- Protection of critical infrastructure from floods and mudflows.

Possible governance measures include:

- Joint basin committees.
- Shared databases.
- Transboundary drought and flood protocols.
- Participatory basin planning.
- Local stakeholder platforms.
- Conflict-sensitive water allocation mechanisms.
- Integration of climate risk into river basin management plans.

Possible ecosystem-based measures include:

- Protection of headwater areas.
- Restoration of riparian vegetation.
- Soil and slope stabilisation.
- Wetland conservation.
- Sustainable pasture management.
- Land-use planning to avoid flood-prone areas.

6. Key message

Small transboundary river basins in Central Asia are critical laboratories for understanding climate risk at the interface between cryosphere change, water management, rural livelihoods and cross-border cooperation. Their vulnerability is driven not only by climate change, but also by water demand, infrastructure condition, land use, monitoring capacity and institutional coordination.

Effective adaptation requires moving from isolated national responses to basin-scale risk management. This means combining climate data, hydrological monitoring, local knowledge, infrastructure planning and cooperative governance. In these basins, climate resilience depends as much on institutions and cooperation as on technical infrastructure.

Key concepts to identify while reading

1. Small transboundary basin

   A river basin of limited spatial extent shared by two or more countries.

2. Cryosphere
   The part of the Earth system containing frozen water, including snow, glaciers, ice and permafrost.
3. Snow-glacier fed river

   A river whose flow is significantly influenced by seasonal snowmelt and glacier melt.
4. Seasonal runoff shift

   A change in the timing of river discharge, often from summer towards spring under warming conditions.
5. Climate risk

   The potential for adverse consequences resulting from climate hazards, exposure and vulnerability.
6. Exposure
   The presence of people, infrastructure, ecosystems or economic activities in places that could be affected by climate hazards.
7. Vulnerability
   The susceptibility of exposed systems to harm, influenced by sensitivity and adaptive capacity.
8. Transboundary water cooperation

   Coordination between countries sharing a watercourse, aquifer or river basin.
9. Early warning system

   A system that combines monitoring, forecasting, communication and preparedness to reduce disaster impacts.
10. Basin-scale adaptation

    Adaptation planned at river basin level rather than only within administrative borders.

Short reflection questions

1. Why can a small transboundary river basin be more vulnerable to climate risks than a large basin?
2. How can glacier retreat affect water availability during the irrigation season?
3. Why is the timing of runoff as important as the total annual volume of water?
4. What are the main climate-related hazards in mountain-fed basins of Central Asia?
5. How can reduced summer flow affect agriculture, ecosystems and local communities?
6. Why do flood and mudflow risks require upstream–downstream cooperation?

7. What type of hydrometeorological data should be shared between countries in a small transboundary basin?
8. How can poor water governance increase the impacts of climate change?
9. Which adaptation measures are mainly technical, and which are institutional or ecosystem-based?
10. Why should local communities participate in climate risk assessments and basin planning?

Optional readings

Climate change and resilience in Central Asia

https://www.undp.org/eurasia/projects/climate-change-and-resilience-central-asia

Promoting transboundary climate risk management in Central Asia

https://www.giz.de/en/projects/climate-risk-management-central-asia