



MICRO-CREDENTIAL

CIRCULAR ECONOMY FOR LAND AND WASTE MANAGEMENT

7.- Organic Waste and Biological Cycles

Composting and anaerobic digestion


CELWS-W07-V02




Co-funded by
the European Union




Title: Biological Treatment of Organic Waste





- **Biological Nutrients:** Designed to re-enter the biosphere safely.
- **Waste Equals Food:** Organic products are metabolised by the economy to regenerate new resource value.
- **Regeneration:** Rebuilding the long-term resilience of agricultural systems.




Natural environments decompose waste over varying timescales.

Industrial-scale treatment leverages these exact biological processes.


The Difference: Engineering the environment to occur rapidly, safely, and efficiently to separate valuables and destroy contaminants.

Composting: Concept and Principles



- **Aerobic Degradation:** Micro-organisms oxidize organic compounds in the presence of oxygen.
- **Input Requirements:** Balancing carbon, nitrogen, moisture, and porosity.
- **Primary Output:** Recalcitrant organic matter that manages soil moisture and provides a habitat for soil organisms.


The Operational Mechanisms of Composting



Mixing moist, nitrogen-rich food waste with porous, carbon-rich woody material allows air movement.

Industrial scales utilize windrows, static piles, or enclosed reactor vessels.

Mechanical turning or forced air blowers prevent anaerobic dead-zones.




Thermophilic Peak: High heat generation has a critical sterilizing effect.

Sanitization: Destroys plant pathogens and weed seeds.


Maturation: Gradual conversion of easily degraded matter into stable, soil-like compost.

Operational Dashboard



Precise control of operational variables is required to achieve rapid decomposition.

Deviation causes process failure: excessive moisture blocks oxygen; poor C:N ratios starve microbes or cause odor.



Drastically reduces physical waste volume for transport and application.

Transforms volatile organic matter into a stable, highly concentrated soil additive.

Returns critical micro-nutrients to depleted agricultural topsoil.



Energy Loss

Energy: Fails to harvest the biochemical energy stored in organic compounds.




Emission Risks

Emissions: Imperfect oxygen supply creates anaerobic zones, releasing methane (30x the global warming potential of CO₂) and odorous hydrogen sulphide.



Space Requirements

Footprint: Requires extensive land area for windrow management.




Anaerobic Degradation:
Microbes break down organic matter in the complete absence of oxygen.

Waste is intentionally not fully oxidized.

Retains vast amounts of biochemical energy in the form of combustible gas.


Anaerobic Digestion Process Stages



A sequenced biological cascade requiring different specialized microbes at each stage.

Pre-treatments (shredding, heat) are often required to accelerate the initial hydrolysis phase.

Outputs of Anaerobic Digestion




Biogas: A renewable fuel alternative to natural gas, utilized for combined heat and power (CHP).


Digestate: A nutrient-rich slurry that can be separated into fibrous and liquor fractions for direct agricultural application.

Comparison: Composting vs Anaerobic Digestion

Feature	Composting	Anaerobic Digestion
Environment	Oxygen Required	Oxygen Excluded
Primary Output	Solid Soil Amendment	Biogas & Liquid Digestate
Energy Balance	Net Consumer (Aeration)	Net Producer (Methane)
Ideal Feedstock	Yard, Wood, Fibrous Waste	Food, Manure, Wet Organics

- Diverts organic matter from uncontrolled landfill decomposition.
- Prevents systemic leakage of nutrients from the human food system.
- Offsets fossil energy use via renewable biochemical yields.







MICRO-CREDENTIAL

CIRCULAR ECONOMY FOR LAND AND WASTE MANAGEMENT

7.- Organic Waste and Biological Cycles

Composting and anaerobic digestion

CELWS-W07-V02



Co-funded by
the European Union

